

## GEOLOGY, MINERALOGY AND SOIL SCIENCE



### **Ishkov Valerii Valeriiovych**

Candidate of Geological and Mineralogical Sciences, Associate Professor,  
Department of Geology and Mineral Prospecting,  
Dnipro University of Technology, Ukraine;  
Senior Research Fellow, Laboratory of Studies of Structural Changes Rocks,  
M.S. Polyakov Institute of Geotechnical Mechanics of the NAS of Ukraine, Ukraine

### **Kozii Yevhen Serhiiovych**

Candidate of Geological Sciences, Director of Educational  
and Scientific Center for Training of Foreign Citizens,  
Dnipro University of Technology, Ukraine

### **Chernobuk Oleksandr Ivanovych**

Deputy Director of Department of Strategic Production Planning,  
Georgian Manganese, Georgia

### **Kozar Mykola Antonovych**

Senior Research Fellow, Candidate of Geological Sciences,  
M.P. Semenenko Institute of Geochemistry,  
Mineralogy and Ore Formation of the NAS of Ukraine, Ukraine

### **Pashchenko Pavlo Serhiiovych**

Candidate of Geological Sciences, Senior Research Fellow,  
Laboratory of Studies of Structural Changes Rocks,  
M.S. Polyakov Institute of Geotechnical Mechanics of the NAS of Ukraine, Ukraine

### **Diachkov Pavlo Anatoliiovych**

Senior Lecturer, Department of Transport Systems and Technology,  
Dnipro University of Technology, Ukraine

### **Vladyk Danyil Volodymyrovych**

student, Department of Geology and Mineral Prospecting,  
Dnipro University of Technology, Ukraine

**MANIFESTATION OF THE PHENOMENON OF COAL  
ENRICHMENT WITH GERMANIUM OF LOW-POWERED AREAS  
OF THE SEAMS OF THE DNIPROVSKA MINE (UKRAINE)  
AND THE «ZYLBERMINTS LAW»**

***Abstract.** The study of the germanium distribution over the area and in the cross-section of coal seams  $c_8^H$ ,  $c_8^B$ ,  $c_{10}^B$  of the "Dniprovskia" mine made it possible to establish the presence of a very high inverse correlation between the thickness of the seams and their germanium content; the presence of zones of Ge enrichment with a thickness of 10–30 cm at the contacts of the layers. This made it possible to explain in geochemical terms the joint manifestation of the phenomenon of germanium enrichment in low-powered areas and the "Zilberminets law" in the seams of the Dniprovskia mine.*

***Keywords:** germanium, cross-section, coal seams, enrichment zones.*

**Introduction.** The relevance of studying the germanium content in coal seams is due to the possibility of its industrial extraction and use as a valuable accompanying component. For an objective geological and economic assessment of the possibility of simultaneous extraction of Ge from coal, waste and products of its processing and planning of the most effective organizational and technical measures in this regard, it is first of all necessary to have information about the nature of the distribution and the level of concentration of this element in coal. In order to obtain such information, the authors carried out detailed studies of the germanium distribution over the area and in the section of coal seams  $c_8^H$ ,  $c_8^B$ ,  $c_{10}^B$  of the Dniprovskia mine.

**Recent achievements.** Previously, the peculiarities of the distribution of "small elements" that belong to the group of "toxic and potentially toxic elements" in the coal seams of some mines and geological-industrial areas of Donbas were investigated, it was established that there is a close inverse correlation between the thickness of the seam and the contents of Ge and some other impurity elements [1-48]. At the same time, the establishment of a relationship between the content of germanium and the thickness of the coal seams of the Dniprovskia mine and its analysis had not been carried out before.

**Purpose:** establishment of a relationship between the content of germanium and the thickness of the coal seams of the Dniprovskaya mine.

**Materials and Methods.** The factual basis of the work was the results of 370 Ge analyzes performed after 1981 in the central certified laboratories of production geological exploration organizations of Ukraine from the material of reservoir samples obtained by production and scientific research enterprises and organizations and measurements of reservoir capacity. Germanium content was determined by quantitative emission spectral analysis. The quality of the results of the analyzes was evaluated as the significance of the average systematic error, which is tested using the Student criterion, and the significance of the average random error, which is tested using the Fisher criterion. Since the above-mentioned errors at the significance level of 0.95 are not significant, the quality of the analyzes is recognized as satisfactory.

**Findings and Discussion.** The relationship between the germanium content and the thickness of the coal seam  $c_8^H$ ,  $c_8^B$ ,  $c_{10}^B$  according to the results of the analyzes of the general sample according to the Chedok scale, taking into account the data of the correlation analysis for all seams, is inverse and very high, with a confidence interval of 0.99 it is statistically significant. The calculated corresponding correlation coefficients are  $-0.94$ ,  $-0.91$  and  $-0.96$ . Analysis of the results of sectional testing of the formations showed the presence of Ge enrichment zones with a thickness of up to 0.30 m, located in the roof and soil.

For the first time, such zonality of Ge distribution in the section of coal seams was described as early as 1936 in the work of V. A. Zilberminets and his colleagues on the coals of the Donets Basin [49]. Later, in 1966 A.V. Pavlov proposed to call this empirical regularity "Zilberminets law" [50]. During the research of the South Yakutsk coal basin [51] variants of Ge distribution in the section of the coal seam were noted: a) enrichment near the soil and roof (seams of a simple structure); b) at the roof, soil and interlayers (seams of complex structure); c) only at the roof; d) only near the soil; e) uniform distribution over the seam, with a general increased content (usually these are seams with a thickness of less than 0.5 m).

According to the results of sectional testing of 12 coal deposits in Japan, it

became obvious that Ge is concentrated in the contact zones, although such enrichment is always asymmetric. For example, at the Hiraga deposit, mainly near-soil sections are enriched, while at the Mino deposit, near-top sections are enriched. This situation is interpreted by Japanese geologists as evidence of the diagenetic migration of Ge from outside [52].

The low-ash and low-sulfur seam Blue Gem in southeastern Kentucky, 0.7 m thickness, was sampled in five sections. Published analyzes [53] shows that the Ge content in ash and coal does not correlate with the ash content, but abrupt enrichment of edge sections with germanium is observed.

Almost simultaneously with the discovery of contact enrichment, another empirical pattern was established: the inverse relationship between the germanium content of coals and the thickness of coal seams. For example, as noted by V.R. Kler [54], in the Donbas, within one coal seam of variable thickness, "the Ge content behind the operating thickness contour is usually 2 times or more higher than within the industrial contour."

In the vast majority of cases, all other things being equal (in particular, within the same coal-bearing basin or deposit), the thicker the coal seam, the lower the average content of Ge in it. Thin non-industrial coal seams and interlayers are almost always germanium-bearing, while thick industrial seams contain 10–100 times less Ge. Various researchers at different times attempted to explain this phenomenon in terms of the facies of coal-forming peatlands or in terms of the rate of peat accumulation.

For example, Zodrow, who studied the coals of the Sydney Basin (Canada), noted that some elements, in particular V and Ni, enrich thin seams. He associated this with slower peat accumulation during their formation [55].

In our opinion, "syngenetic" interpretations of the phenomenon of enrichment of thin seams with germanium seem untenable. The fact is that the thickness of the zones of contact enrichment of seams with Ge and other impurity elements does not depend on the thickness of the seams; it is approximately the same everywhere and varies within narrow limits from 10 to 30 cm. Therefore, a thin coal seam geochemically differs from a thick seam only in the increased contribution of contact zones.

For example, if in a seam 2 m thick the share of two contact zones 10 cm thick is only 10% by volume, then with the same thickness of contact zones in a thin seam 0.4 m thick, they will already amount to 50%. If we have a thin coal interlayer with a thickness of only 10 cm, then it can be considered as two merged (superimposed) contact zones - upper and lower. Such seam should be richer in germanium than each of the contact zones of a thick seam separately.

Thus, in our opinion, the inverse dependence of Ge content in coal seams on their thickness can be easily interpreted.

The similarity of thin seams with contact zones is also manifested in the fact that, probably, the composition of host rocks is far from being indifferent to the enrichment of thin layers. If the sample of coal seams under study is dominated by thin seams, the host rock factor can have a significant impact.

### **Conclusions:**

The study of the distribution of Ge over the area and in the cross-section of coal seams  $c_8^H$ ,  $c_8^B$ ,  $c_{10}^B$  of the "Dniprovskaya" mine made it possible to establish: 1) the presence of a very high inverse correlation between the thickness of the seams and their Ge content; 2) the presence of zones of Ge enrichment with a thickness of 10–30 cm at the contacts of the seams. This made it possible to explain in geochemical terms the joint manifestation of the phenomenon of germanium enrichment in low-power areas and the "Zilbermintz law" in the seams of the Dniprovskaya mine.

### **References:**

1. Kozii Ye.S., Ishkov V.V. (2017). Coal classification of main working seams of Pavlohrad-Petropavlivka geological and industrial district on content of toxic and potentially toxic elements. Collection of scientific works "Geotechnical Mechanics". No. 136, pp. 74-86.
2. Ishkov V.V., Kozii Ye.S. (2014). About classification of coal seams on the content of toxic elements using cluster analysis. Collection of scientific works of NMU. No. 45. pp. 209-221.
3. Kozii Ye.S. (2021). Toxic elements in the  $c_1$  coal seam of the Blahodatna mine of Pavlohrad-Petropavlivka geological and industrial area of Donbas. Geo-Technical Mechanics, No.158, pp.103-116. <https://doi.org/10.15407/geotm2021.158.103>
4. Kozii, E.S. (2018). Arsenic, beryllium, fluorine and mercury in the coal of the layer  $c_8^B$  of the «Dniprovskaya» mine of Pavlogradsko-Petropavlovskiy geological and industrial district.

- Dnipropetrovsk University Bulletin Series-Geology Geography. Vol. 26. No. 1, pp. 113-120.  
<https://doi.org/10.15421/111812>
5. Nesterovskyi V., Ishkov V., Kozii Ye. (2020). Toxic and potentially toxic elements in the coal of the seam  $c_8^H$  of the "Blagodatna" mine of Pavlohrad-Petropavlivka geological and industrial area. *Visnyk Of Taras Shevchenko National University Of Kyiv: Geology*, 88(1), 17-24.  
<http://doi.org/10.17721/1728-2713.88.03>
  6. Козій Є.С. (2020). Хром у вугіллі пласта  $c_4^2$  шахти «ім. М.І. Сташкова». Регіональні проблеми охорони довкілля. Матеріали Міжнародної наукової конференції молодих вчених. Одеса: ОДЕКУ, 2020. С. 80-85.
  7. Козій Є.С. (2020). Розподіл марганцю у вугільному пласті  $c_5$  шахти «Благодатна». Матеріали Всеукраїнської наукової on-line конференції «Сучасні проблеми екології», Житомир: Житомирська політехніка. С. 86-87.
  8. Kozar M.A., Ishkov V.V., Kozii E.S., Strielnyk Yu.V. (2021). Toxic elements of mineral and organic composition of lower carbon coal Western Donbas. *Geological science in independent Ukraine: Abstracts of Scientific Conference (Kyiv, September 8-9, 2021) / NAS of Ukraine*, M.P. Semenenko Institute of Geochemistry, Mineralogy and Ore Formation. – Kyiv, pp.55-58.
  9. Ишков В.В., Козий Е.С. (2014). О распределении золы, серы, марганца в угле пласта  $c_4$  шахты «Самарская» Павлоград-Петропавловского геолого-промышленного района. *Збірник наукових праць НГУ. № 44*, С. 178-186.
  10. Ишков В.В., Козий Е.С. (2013). Новые данные о распределении токсичных и потенциально токсичных элементов в угле пласта  $c_6^H$  шахты «Терновская» Павлоград-Петропавловского геолого-промышленного района. *Збірник наукових праць НГУ. № 41*, С. 201-208.
  11. Ishkov V.V., Koziy E.S., Lozovoi A.L. (2013). Definite peculiarities of toxic and potentially toxic elements distribution in coal seams of Pavlograd-Petropavlovka region. *Collection of scientific works of NMU*, no. 42, pp. 18-23.
  12. Kozii Ye.S. (2021). Arsenic, mercury, fluorine and beryllium in the  $c_1$  coal seam of the Blahodatna mine of Pavlohrad-Petropavlivka geological and industrial area of western Donbas. *Geo-Technical Mechanics*. no. 159. pp. 58-68. <https://doi.org/10.15407/geotm2021.159.058>
  13. Ишков В.В., Козий Е.С. (2013). О распределении токсичных и потенциально-токсичных элементов в угле пласта  $c_6^H$  шахты «Терновская» Павлоград-Петропавловского геолого-промышленного района. Матеріали міжнародної конференції «Форум гірників». ДВНЗ «НГУ». Дніпро. С. 49-55.
  14. Ishkov V.V., Koziy E.S. (2017). Distribution of toxic and potentially toxic elements in the

- coal of the layer  $c_7^H$  of the "Pavlogradskaya" mine of Pavlogradsko-Petropavlovskiy geological and industrial district. *Visnyk Of Taras Shevchenko National University Of Kyiv-Geology*, 4(79), 59-66. <https://doi.org/10.17721/1728-2713.79.09>
15. Mametova L.F., Mirek A., Kozii Ye.S. (2020). Pyritization of the Middle Carboniferous Sandstones of the Donbas. *Mineral. Journ. (Ukraine)*. No. 42(2). pp. 14-19. <https://doi.org/10.15407/mineraljournal.42.02.014>
  16. Ishkov V., Kozii Ye. (2020). Distribution of mercury in coal seam  $c_7^H$  of Pavlohradska mine field. *Scientific Papers of DONNTU Series: "The Mining and Geology"*. No. 1(23)-2(24), pp. 26-33. [https://doi.org/10.31474/2073-9575-2020-3\(23\)-4\(24\)-26-33](https://doi.org/10.31474/2073-9575-2020-3(23)-4(24)-26-33)
  17. Koziy E.S. (2017). Peculiarities of distribution of toxic and potentially toxic elements in the coal of the layer  $c_{10}^B$  in the Stashkov mine of Pavlograd-Petropavlovsk geological and industrial district. *Collection of scientific works "Geotechnical Mechanics"*. No. 132, pp. 157-172.
  18. Ishkov V.V., Koziy E.S. (2017). About peculiarities of distribution of toxic and potentially toxic elements in the coal of the layer  $c_{10}^B$  of the Dneprovskaya mine of Pavlogradsko-Petropavlovskiy geological and industrial district of Donbass. *Collection of scientific works "Geotechnical Mechanics"*. No. 133, pp. 213-227.
  19. Ишков В.В., Козий Е.С. (2021). Накопление Со и Мп на примере пласта  $c_5$  Западного Донбасса как результат их миграции из кор выветривания Украинского кристаллического щита. *Материалы XVI Международного совещания по геологии россыпей и месторождений кор выветривания «Россыпи и месторождения кор выветривания XXI века: задачи, проблемы, решения»*. С. 160-162.
  20. Козар М.А., Ишков В.В., Козій Є.С., Стрельник Ю.В. (2021). Токсичні елементи мінеральної та органічної складової вугілля нижнього карбону Західного Донбасу. *Геологічна наука в незалежній Україні: Збірник тез наукової конференції*. – С. 55-58.
  21. Козій Є.С., Бордальова А.Ю. (2022). Аналіз розповсюдження ртуті у вугільному пласті  $c_7^H$  поля шахти «Павлоградська» Дніпропетровської області. *VII Міжнародний молодіжний конгрес*. С. 53. <https://doi.org/10.51500/7826-04-9>
  22. Ishkov V.V., Kozii Ye.S., Chernobuk O.I., Lozovyi A.L. (2022). Results of dispersion and spatial analysis of the germanium distribution in coal seam  $c_8^B$  of Zahidno-Donbaska mine field (Ukraine). *Proceedings of the XXVIII International Scientific and Practical Conference. «Science and practice, actual problems, innovations»*, July 19 – 22, 2022, Milan, Italy, pp. 66-73. <https://doi.org/10.46299/ISG.2022.1.28>
  23. Ishkov V.V., Kozii Ye.S., Chernobuk O.I., Pashchenko P.S., Lozovyi A.L. (2022). Results of correlation and regression analysis of germanium concentrations with thickness and ash content of coal seam  $c_8^B$  of Dniprovskaya mine field (Ukraine). *Proceedings of the XXIX*

- International Scientific and Practical Conference «Trends in science and practice of today», July 26 – 29, 2022, Stockholm, Sweden, pp. 95-104. <https://doi.org/10.46299/ISG.2022.1.29>
24. Ishkov V.V., Kozii Ye.S., Chernobuk O.I., Pashchenko P.S., Lozovyi A.L. (2022). Analysis of the spatial distribution of germanium in the coal seam c<sub>8</sub><sup>H</sup> of Dniprovska mine field (Ukraine) // The newest problems of science and ways to solve them. Proceedings of the XXX International Scientific and Practical Conference. Helsinki, Finland. 2022. pp. 11-15. DOI: 10.46299/ISG.2022.1.30
25. Kozar, M.A., Ishkov, V.V., Kozii, Ye.S., Pashchenko P.S. (2020). New data about the distribution of nickel, lead and chromium in the coal seams of the Donetsk- Makiivka geological and industrial district of the Donbas. Journ. Geol. Geograph. Geoecology. No. 29(4), pp. 722-730. <http://doi: 10.15421/112065>
26. Ishkov V.V., Kozii Ye.S. (2020). Peculiarities of lead distribution in coal seams of Donetsk-Makiivka geological and industrial area of Donbas. Tectonics and Stratigraphy. No. 47, pp. 77-90. <https://doi.org/10.30836/igs.0375-7773.2020.216155>
27. Ішков В.В., Козій Є.С., Кисельова М.Д., Стрельник Ю.В. (2021). Про розподіл берилію у вугільному пласті k<sub>5</sub> ВП «Шахта «Капітальна» ДП «Мирноградвугілля». Міжнародна науково-практична конференція «Технології і процеси в гірництві та будівництві». ДонНТУ. – С.126-133.
28. Kozii Ye. (2019). Classification of coal seams of the Krasnoarmiyskiy geological and industrial area of Donbas by the content of toxic and potentially toxic elements // Materials of the International Scientific & Practical Conference "Physical & Chemical Geotechnologies – 2019", Dnipro, P. 34-35.
29. Ішков В.В., Козій Є.С., Стрельник Ю.В. (2021). Результати досліджень розподілу кобальту у вугільному пласті k<sub>5</sub> поля ВП «шахта «Капітальна»». Збірник праць Всеукраїнської конференції «Від мінералогії і геогнозії до геохімії, петрології, геології та геофізики: фундаментальні і прикладні тренди ХХІ століття» (MinGeoIntegration XXI). С. 178-181.
30. Kozii Ye. (2020). Forecasting stability method of coal-containing rocks on the complex of geological and geophysical methods // Materials of the International Scientific & Practical Conference "Physical & Chemical Geotechnologies – 2020". Dnipro, P. 33-34.
31. Ishkov V.V., Kozii Ye.S., Strelnyk Yu.V. (2021). Research results of cobalt distribution in coal seam k<sub>5</sub> of "Kapitalna" mine field. Збірник праць Всеукраїнської конференції «Від мінералогії і геогнозії до геохімії, петрології, геології та геофізики: фундаментальні і прикладні тренди ХХІ століття» (MinGeoIntegration XXI), 28-30 вересня 2021 року. С. 178-181.
32. Ішков В.В., Козій Є.С., Завгородня В.О., Стрельник Ю.В. (2021). Перші дані про



розподіл кобальту у вугільному пласті k<sub>5</sub> поля ВП «Шахта «Капітальна». Міжнародна науково-практична конференція «Технології і процеси в гірництві та будівництві». ДонНТУ. – С.55-64.

33. Ishkov V.V., Kozii Ye.S. (2020). Some features of beryllium distribution in the k<sub>5</sub> coal seam of the "Kapitalna" mine of the Krasnoarmiyskiy geological and industrial district of Donbas. Odesa National University Herald. Geography and Geology. Vol. 25. No. 1(36), pp. 214-227. [https://doi.org/10.18524/2303-9914.2020.1\(36\).205180](https://doi.org/10.18524/2303-9914.2020.1(36).205180)
34. Ішков В.В., Козій Є.С. (2020). Зольність вугільного пласта k<sub>5</sub> шахти «Капітальна». Матеріали міжнародної науково-практичної конференції «Технології і процеси в гірництві та будівництві». ДонНТУ. – С.87-91.
35. Ishkov V.V., Kozii Ye.S. (2021). Distribution of arsene and mercury in the coal seam k<sub>5</sub> of the Kapitalna mine, Donbas. Mineralogical Journal. No. 43(4), pp. 73-86. <https://doi.org/10.15407/mineraljournal.43.04.073>
36. Ішков В.В., Козій Є.С., Капшученко Є.О., Стрельник Ю.В. (2021). Попередні дані про особливості розповсюдження нікелю у вугільному пласті k<sub>5</sub> поля ВП «Шахта «Капітальна». Міжнародна науково-практична конференція «Технології і процеси в гірництві та будівництві». ДонНТУ. – С.21-31.
37. Kozii Ye. (2020). Coal height of coal seam k<sub>5</sub> of "Kapitalna" mine. Proceedings of the "Widening Our Horizons": International Forum for Students and Young Researchers, pp. 399-401.
38. Kozii Ye. Chromium in the coal seams of the Chervonoarmiyskiy geological and industrial area of Donbas. Proceedings of the "Widening Our Horizons": Intern. Forum for Students and Young Researchers, 2021, pp. 453-455.
39. Ішков В.В., Козій Є.С., Киричок В.О., Стрельник Ю.В. (2021). Перші відомості про розподіл свинцю у вугільному пласті k<sub>5</sub> поля ВП «Шахта «Капітальна». Міжнародна науково-практична конференція «Технології і процеси в гірництві та будівництві». ДонНТУ. – С.76-86.
40. Ishkov V.V., Kozii Ye.S. (2019). Analysis of the distribution of chrome and mercury in the main coals of the Krasnoarmiyskiy geological and industrial area. Tectonics and Stratigraphy. No. 46, pp. 96-104. <https://doi.org/10.30836/igs.0375-7773.2019.208881>
41. Ishkov V.V., Kozii Ye.S., Kozar M.A., Dreshpak O.S, Chechel P.O. (2022). Condition and prospects of the Ingichke deposit (Republic of Uzbekistan). The XXVII International Scientific and Practical Conference «Multidisciplinary academic notes. Theory, methodology and practice», July 12 – 15, 2022, Prague, Czech Republic, pp. 96-104. <https://doi.org/10.46299/ISG.2022.1.27>
42. Yerofieiev, A.M., Ishkov, V.V., Kozii, Ye.S. (2021). Influence of main geological and

- technical indicators of Kachalivskiyi, Kulychykhinskyi, Matlakhovskiyi, Malosorochynskiyi and Sofiiivskiyi deposits on vanadium content in the oil. International Scientific&Technical Conference «Ukrainian Mining Forum». pp. 177-185.
43. Ishkov, V.V., Kozar, M.A., Kozii, Ye.S., Bartashevskiy, S.Ye. (2022). Nickel in oil deposits of the Dnipro-Donetsk depression (Ukraine). Problems of science and practice, tasks and ways to solve them. Proceedings of the XXVI International Scientific and Practical Conference. Helsinki, Finland, pp. 25-26. <https://doi.org/10.46299/ISG.2022.1.26>
  44. Yerofieiev, A.M., Ishkov, V.V., Kozii, Ye.S., Bartashevskiy, S.Ye. (2021). Research of clusterization methods of oil deposits in the Dnipro-Donetsk depression with the purpose of creating their classification by metal content (on the vanadium example). Scientific Papers of Donntu Series: "The Mining and Geology". pp. 83-93. [https://doi.org/10.31474/2073-9575-2021-1\(25\)-2\(26\)-83-93](https://doi.org/10.31474/2073-9575-2021-1(25)-2(26)-83-93)
  45. Ishkov V.V., Kozii Ye.S., Kozar, M.A. (2021). Peculiarities of vanadium geochemistry in oils from the deposites of the Eastern oil and gas-bearing region of Ukraine. Geo-Technical Mechanics. no 161. <https://doi.org/10.15407/geotm2020.161>
  46. Kozii Ye.S., Ishkov V.V. Nickel content in the oils of the Dnipro-Donetsk basin. (2022). Theoretical and Applied issues of Agricultural Sciences: book of proceeding of the International Scientific and Advanced Conference. Dnipro. Two Part. pp. 296-299.
  47. Ishkov V.V., Kozii Ye.S. (2022). Nickel distribution in the oils of the Dnipro-Donetsk basin. Сборник научных трудов III Международной научно-практической конференции «Современные тенденции геологоразведочной и нефтяной инженерии», 14-15 апреля 2022 года, г. Алматы. С. 161-166.
  48. Yerofieiev A.M., Ishkov V.V., Kozii Ye.S., Bartashevskiy S.Ye. (2021). Geochemical features of nickel in the oils of the Dnipro-Donetsk basin. Collection of scientific works "Geotechnical Mechanics". No. 160, pp. 17-30. <https://doi.org/10.15407/geotm2021.160.017>
  49. Zilbermints V.A., Rusanov A.K., Kostyrykin V.M. (1936). On the issue of the distribution of germanium in fossil coals. M.: AN SSSR. Vol.1. pp. 169-190.
  50. Pavlov A.V. (1966). Material composition of coal ash in some areas of Western Spitsbergen. Scientific notes NIIGA. Regional geology. Iss. 8. pp. 128–136.
  51. Polyakov N.P. (1973). Regularities of the distribution of microelements in the coals of the Aldan-Chulman region. Western Transbaikalia. Branch of the Geographical Society of the USSR. Vol. 81. pp. 55-66.
  52. Imai N., Ando A., Takeda E. (1984). Minor elements in Japanese coal (II). Bull. Surv. Jpan. Vol. 35, No. 7. pp. 287-314.
  53. Hower J.C., Taulbee D.N., Rimmer S.M., Morrell L.G. (1994). Petrographic and geochemical anatomy of lithotypes from the Blue Gem coal bed, southeastern Kentucky. Energy Fuels.

Vol. 8. pp. 719-728.

54. Kler V.R. Nenakhova V.F., Saprykin F.Ya. (1988). Concentrations minor elements in coals and coal-bearing formations. Metallogeny and geochemistry of coal-bearing and shale-bearing strata of the USSR. Laws of concentration of elements and methods of their study. M.: Nauka. pp. 67-142.
55. Zodrow E. L. (1986). Coal-stratigraphic geochemistry: trends in coal samples from Sydney Coalfield, Upper Carboniferous, Nova Scotia. Can. Inst. Min. Met. Bull. Vol. 79, No. 893. pp. 83-85.